

**SECRET**

SAPC-13906  
Copy 3 of 9

18 March 1957

To : Project Director

Subj : Contractor Personnel to Support R-W Equipment

Ref : (a) R-W letter, CMSC Doc. No. 151x3.449, dtd 8 Mar. 1957  
(b) Proj. Communications Officer Memo, SAPC-13968, dtd 15 Mar 1957

1. Reference (a) indicates the Contractor's viewpoint on support personnel for R-W equipment and associated test equipment.

2. Reference (b) indicates [redacted] evaluation of the support personnel problem re: R-W items. 25X1A

3. It is recommended that the Project Contracting Officer request R-W to propose a level of contractor personnel for support of System 4 at the three bases on a permanent basis and for TDY type support of the System 4 ground processing equipment.

4. Base personnel complements will, of course, have to be revised upwards.

25X1A

[redacted]  
Project Contracting Officer

25X1A

SA/PC/DCI [redacted] pf (3/18/57)

Distribution:

- Orig - Proj.Dir., w/orig of Ref.(A) & (B), SAPC-13930 & 13968
- Cy 2 - Dep.Proj.Dir./w/cy of " " " - *correct*
- ✓ 3 - [redacted] " " "
- 4 - Proj.Commo Officer " " "
- 5 - Admin. w/cy of Ref. A & B " " "
- 6 - Ops, " " "
- 7 - Personnel, w/cy " " "
- 8 - Finance, " " "
- 9 - Chrono " " "

25X1A  
25X1A

DOCUMENT NO. 49  
NO CHANGE IN CLASS. X  
DECLASSIFIED  
CLASS. CHANGED TO: TS S C  
NEXT REVIEW DATE: 25/12  
AUTH: 114702  
DATE: 12/01/82  
REVIEWER: 010956